

Patient Name: _____ DOB: _____ Date: _____

Address: _____ City: _____ State: _____
Zip: _____

Phone: _____

Commonly Prescribed for Musculoskeletal Pain

Ketoprofen 10% + Cyclobenzaprine 2% + Lidocaine 5% (763)

Commonly Prescribed for Osteoarthritis

Piroxicam 3% + Ketoprofen 5% + Lidocaine 5% (2576)

Commonly Prescribed for Neuropathic Pain

Ketamine 10% (CIII) + Ketoprofen 10% + Gabapentin 6% + Clonidine 0.2% +
Lidocaine 5% (3535)

Add Bupivacaine 1% (longer acting anesthetic)

Ketoprofen 10% + Gabapentin 5% + Baclofen 5% + Lidocaine 5% (1806)

Add Bupivacaine 1% (longer acting anesthetic)

Commonly Prescribed for Low Back Pain

Ketoprofen 20% + Gabapentin 6% + Amitriptyline 2% + Clonidine 0.2% +
Lidocaine 5% (3163)

Commonly Prescribed for Shingles

Gabapentin 10% + Ketoprofen 5% + Amitriptyline 2% + Lidocaine 5% +
Acyclovir 5% (2463)

Other: (include drugs and concentrations)

Disp: 120 gm 240 gm

Sig: Apply 1-2 clicks (0.5g - 1g) to affected areas 3 to 4 times a day. Massage well for 2-3 minutes.
(large Topi-Click)

Other Sig:

Refills: PRN or _____

Notes:

Signature: _____

Prescriber: _____ Phone: _____

Clinic: _____ DEA: _____

Address: _____